

# Gloves **for** Gardeners



**Viking**  
TM

**PRODUCT GUIDE**



# Contents

## Disposable Gloves

- Safehands Latex	2
-------------------	---

## Household Rubber Gloves

- Viking Sanitised	3
--------------------	---

## In the Garden

- Gardeners ToughMate	4
- Gardeners WorkMate	5
- Gardeners WarmMate	6
- Gardeners Therma Dry	7
- Gardeners Light Touch	8
- Gardeners Fine Grip	9
- Gardeners Griplt	10
- Rose Gardeners 3/4 Coat	11
- Rose Gardeners Full Coat	12
- Gardeners Safety Cuff	13
- Gardeners No Cut 5	14



## SAFEHANDS LATEX

Lightly Powdered or Powder Free

### Features

- Non sterile
- Ambidextrous and straight fingers provide excellent sensitivity and natural fit.
- Natural Latex has superior elasticity reducing propensity to tear.
- Beaded cuff that makes donning easy and helps prevent roll back.
- These gloves provide excellent protection from unwanted or dangerous substances.



### Specifications

Code	Construction	Size	Length	Colour	Packaging
SHX	Natural high quality latex (Powdered = absorbable cornstarch USP grade)	XS - XL 6-10	240mm	Natural	100 gloves / inner 10 inners / carton

#### Performance and Limitation of Use

This product has been tested in accordance with:



## Satinised Household Gloves

### Features

- Enhanced sensitivity and dexterity
- Honeycomb anti-slip pattern for good grip in wet and dry conditions
- Anatomically shaped for comfort
- Pinked Cuff
- Chlorinated for low extractable proteins and residual chemicals
- Packed in retail hang sell bag – 1 pair per bag
- Flock Free "Silver" Lining ensures clean and easy donning.



### Specifications

Code	Construction	Size	Length	Thickness	Colour	Packaging
BSG	100% Natural rubber	Sm - XXL	300mm	0.50mm	Yellow	10 pairs/ inner 15 inners / carton

#### Performance and Limitation of Use

This product has been tested in accordance with:





# Gardeners ToughMate

The gardeners ToughMate is the perfect multi-purpose hardwearing gardening glove. Its thick textured latex palm will allow you to tackle the toughest of jobs while the Polycotton shell allows your hand to breathe.

## Features

- Textured palm for strong grip
- Tear resistant
- Breathable, versatile & durable
- Heavy Duty



## Specifications

Code	Construction	Size	Length	Colour	Packaging
VTM	Latex coating Polycotton liner	Sm - XXL 7 - 11	7 = 230mm 8 = 240mm 9 = 250mm 10 = 260mm 11 = 270mm	Ultramarine liner Charcoal coating	12 pairs / polybag 10 polybags / carton

**Performance and Limitation of Use.** This product has been tested in accordance with:



EN 388:2003 Protective gloves against mechanical risks		
Property	Performance Level Achieved	(Maximum Performance Level)
Abrasion Resistance	2	(4)
Blade Cut Resistance	2	(5)
Tear Resistance	4	(4)
Puncture Resistance	2	(4)

**EN 420: 2003**



Protective gloves.  
General requirements  
and test methods.

# Gardeners WorkMate

Named the WorkMate because you can easily work in this glove all day. It is a lightweight glove with a smooth Nitrile dipped palm giving it durability while still retaining dexterity and precision.

## Features

- Lightweight & highly durable.
- Nitrile coating provides outstanding protection against hazardous chemicals, solvents, oils and animal fats.
- Excellent abrasion resistance, durability and flexibility.



## Specifications

Code	Construction	Size	Length	Colour	Packaging
VWM	Nitrile coating Polyester liner	Sm - XXL 7 - 11	7 = 230mm 8 = 240mm 9 = 250mm 10 = 260mm 11 = 270mm	Navy blue liner Steel grey coating	12 pairs / polybag 10 polybags / carton

**Performance and Limitation of Use.** This product has been tested in accordance with:



EN 388:2003 Protective gloves against mechanical risks		
Property	Performance Level Achieved	(Maximum Performance Level)
Abrasion Resistance	4	(4)
Blade Cut Resistance	1	(5)
Tear Resistance	2	(4)
Puncture Resistance	1	(4)

**EN 420: 2003**



Protective gloves.  
General requirements  
and test methods.



# Gardeners WarmMate

The Gardeners WarmMate is the perfect cooler weather glove. It has a latex coated palm dip over a winter weight knit shell for extra warmth. The crinkle finish latex coating provides great wet and dry grip.

## Features

- Extremely durable
- Strong tear resistance
- Provides protection against chemicals, oils & solvents
- Brushed acrylic inner for extra comfort and warmth



## Specifications

Code	Construction	Size	Length	Colour	Packaging
VTWM	Latex coating Acrylic liner	M - XXL 8 - 11	8 = 240mm 9 = 250mm 10 = 260mm 11 = 270mm	Safety orange liner Back coating	12 pairs / polybag 6 polybags / carton

# Gardeners Therma Dry

Gardeners Therma Dry is a thermally rated, fully water proof glove. It is the ultimate partner in the garden or around the yard on cold and / or wet days.

## Features

- Exceptional abrasion resistance
- Brushed Acrylic Terry liner for superb comfort and warmth
- Nitrile coating provides protection against chemicals, oils, solvents and animal fats



## Specifications

Code	Construction	Size	Length	Colour	Packaging
VTD	Nitrile coating Nylon liner with 7 gram brushed Terry Acrylic interior	M - XXL 8 - 11	8=240mm 9 = 250mm 10 = 260mm 11 = 270mm	Metallic grey liner Charcoal coating with blue insert	12 pairs / polybag 6 polybags / carton

### Performance and Limitation of Use.

This product has been tested in accordance with:



EN 388:2003 Protective gloves against mechanical risks		
Property	Performance Level Achieved	(Maximum Performance Level)
Abrasion Resistance	1	(4)
Blade Cut Resistance	1	(5)
Tear Resistance	4	(4)
Puncture Resistance	2	(4)

EN 511:2006 Protective gloves against cold hazards		
Property	Performance Level Achieved	(Maximum Performance Level)
Convective Cold	0	-
Contact Cold	1	-
Water Penetration	0	0 or 1

EN 420: 2003



### Performance and Limitation of Use.

This product has been tested in accordance with:



EN 388:2003 Protective gloves against mechanical risks		
Property	Performance Level Achieved	(Maximum Performance Level)
Abrasion Resistance	4	(4)
Blade Cut Resistance	2	(5)
Tear Resistance	2	(4)
Puncture Resistance	1	(4)

EN 511:2006 Protective gloves against cold hazards		
Property	Performance Level Achieved	(Maximum Performance Level)
Convective Cold	0	4
Contact Cold	2	4
Water Penetration	X	0 or 1 X = Glove has not been submitted to this test.

EN 420: 2003





# Gardeners Light Touch

The gardeners Light Touch glove is designed for comfort. It has an extremely lightweight polyester liner with a waterproof PU palm, it is the perfect choice when delicacy is required.

## Features

- Extremely light weight and comfortable with high stretch
- Hardwearing and tear resistant
- Durable PU palm
- Offer outstanding grip & exceptional precision



## Specifications

Code	Construction	Size	Length	Colour	Packaging
VLT	PU coating Polyester liner	Sm - XXL 7 - 11	7 = 230mm 8 = 240mm 9 = 250mm 10 = 260mm	Metallic grey liner Light grey coating	12 pairs / polybag 10 polybags / carton

**Performance and Limitation of Use.** This product has been tested in accordance with:

EN 388:2003

3131

EN 388:2003 Protective gloves against mechanical risks		
Property	Performance Level Achieved	(Maximum Performance Level)
Abrasion Resistance	3	(4)
Blade Cut Resistance	1	(5)
Tear Resistance	3	(4)
Puncture Resistance	1	(4)

EN 420: 2003



Protective gloves.  
General requirements  
and test methods.

# Gardeners Fine Grip

The Gardeners Fine Grip with its textured latex palm and lightweight polyester shell is the perfect glove for general tasks where sensitivity and extra grip is required.

## Features

- Roughened palm for exceptional grip
- Elasticity for superior sensitivity & dexterity
- Ideal for prolonged use



## Specifications

Code	Construction	Size	Length	Colour	Packaging
VFG	Latex coating Polyester liner	S - XXL 7-11	7 = 230mm 8 = 240mm 9 = 250mm 10 = 260mm 11 = 270mm	Lime green liner Light grey coating	12 pairs / polybag 10 polybags / carton

**Performance and Limitation of Use.** This product has been tested in accordance with:

EN 388:2003

2132

EN 388:2003 Protective gloves against mechanical risks		
Property	Performance Level Achieved	(Maximum Performance Level)
Abrasion Resistance	2	(4)
Blade Cut Resistance	1	(5)
Tear Resistance	3	(4)
Puncture Resistance	2	(4)

EN 420: 2003



Protective gloves.  
General requirements  
and test methods.



# Gardeners Gripl

The Gardeners Gripl It is the glove that loves the rough. Fully coated with roughened latex, it is waterproof, hardwearing and provides exceptional grip.

## Features

- Fully coated for extra protection
- Thick crinkled finish enhances safety & grip
- Brushed cotton interlock liner absorbs perspiration & improves comfort
- Two piece liner without seams in the working area eliminates hand irritation
- Knitwrist prevents entry of debris
- Anatomically shaped to provide good fit
- Washable



## Specifications

Code	Construction	Size	Length	Colour	Packaging
VGIT	Latex coating Cotton liner	M – XL 8 – 10	8 = 240mm 9 = 250mm 10 = 260mm 11 = 270mm	Royal blue coating Red cuff	12 pairs / polybag 10 polybags / carton

# Rose Gardeners 3/4 Coat

With its heavy duty Nitrile coating and breathable cotton top of hand this glove is perfect for the prickly jobs.

## Features

- Extremely durable
- Strong resistance to abrasion
- Provides protection against chemicals, oils & solvents
- Close fitting knitted wrist
- Breathable back of the hand
- Puncture resistant



## Specifications

Code	Construction	Size	Length	Colour	Packaging
VCHC	Nitrile coating Cotton liner	M - XXL 8-11	8 = 240mm 9 = 250mm 10 = 260mm 11 = 270mm	Natural liner Dark teal coating	12 pairs / polybag 10 polybags / carton

**Performance and Limitation of Use.** This product has been tested in accordance with:



EN 388:2003 Protective gloves against mechanical risks		
Property	Performance Level Achieved	(Maximum Performance Level)
Abrasion Resistance	2	(4)
Blade Cut Resistance	1	(5)
Tear Resistance	3	(4)
Puncture Resistance	1	(4)

**EN 420: 2003**



Protective gloves.  
General requirements  
and test methods.



EN 388:2003 Protective gloves against mechanical risks		
Property	Performance Level Achieved	(Maximum Performance Level)
Abrasion Resistance	4	(4)
Blade Cut Resistance	1	(5)
Tear Resistance	1	(4)
Puncture Resistance	1	(4)

**EN 420: 2003**



Protective gloves.  
General requirements  
and test methods.



# Rose Gardeners Full Coat

The Rose Gardeners Full Coat is a rose lover's best friend. Heavy duty nitrile protects your whole hand from any nasty thorns.

## Features

- Extremely durable
- Strong resistance to abrasion
- Provides protection against chemicals, oils & solvents
- Close fitting knitted wrist
- Heavy duty nitrile protection to the whole hand
- Puncture resistant



## Specifications

Code	Construction	Size	Length	Colour	Packaging
VCFC	Nitrile coating cotton Liner	M-XXL 8-11	8 = 240mm 9 = 250mm 10 = 260mm 11 = 270mm	Natural liner Dark teal coating	12 pairs / polybag 10 polybags / carton

# Gardeners Safety Cuff

Heavy Duty and super comfortable, this glove is designed to come off in a hurry if needed.

## Features

- Extremely durable
- Strong resistance to abrasion
- Provides protection against chemicals, oils & solvents
- Long protective cuff
- Easy off in emergency
- Puncture resistant



## Specifications

Code	Construction	Size	Length	Colour	Packaging
VCSC	Nitrile coating Cotton liner	L-XXL 9-11	9 = 250mm 10 = 260mm 11 = 270mm	Natural liner Dark teal coating	12 pairs /polybag 10 polybags / carton

**Performance and Limitation of Use.** This product has been tested in accordance with:



EN 388:2003 Protective gloves against mechanical risks		
Property	Performance Level Achieved	(Maximum Performance Level)
Abrasion Resistance	4	(4)
Blade Cut Resistance	1	(5)
Tear Resistance	1	(4)
Puncture Resistance	1	(4)

EN 420: 2003



Protective gloves.  
General requirements  
and test methods.

**Performance and Limitation of Use.** This product has been tested in accordance with:



EN 388:2003 Protective gloves against mechanical risks		
Property	Performance Level Achieved	(Maximum Performance Level)
Abrasion Resistance	4	(4)
Blade Cut Resistance	1	(5)
Tear Resistance	1	(4)
Puncture Resistance	1	(4)

EN 420: 2003



Protective gloves.  
General requirements  
and test methods.





# Gardeners No Cut 5

The Gardeners No Cut 5 has the highest cut resistance rating, making it the perfect glove for sharpening tools, pruning or any task where there is the risk of laceration.

## Features

- Superb resistance to abrasion & rupture
- Flexible, lightweight & comfortable
- Extreme strength with ultimate resistance to moisture



## Specifications

Code	Construction	Size	Length	Colour	Packaging
VNC	PU coating Jonnyma liner	M - XXL 8-11		Speckled grey liner Light grey coating	12 pairs / polybag 10 polybags / carton

**Performance and Limitation of Use.** This product has been tested in accordance with:



EN 388:2003 Protective gloves against mechanical risks		
Property	Performance Level Achieved	(Maximum Performance Level)
Abrasion Resistance	4	(4)
Blade Cut Resistance	5	(5)
Tear Resistance	4	(4)
Puncture Resistance	3	(4)

**EN 420: 2003**



Protective gloves.  
General requirements  
and test methods.





**PRODUCT GUIDE**